

Exterior Lighting

Warwick LED Wall Pack



UK Manufacture
5 YEAR WARRANTY



Description

The Earlsmann Warwick Wall Pack light is designed specifically for driveways and car park applications and to use LED technology efficiently. They are manufactured in the UK to the highest standards ensuring quality and reliability.

Use of low energy LED technology provides high light levels with a significant reduction in energy use making them extremely environmentally friendly due to their minimal carbon footprint.

Features

Low power consumption
Instant start
Long life
Minimal maintenance

Benefits

Reduced energy usage, reduced CO2
Full brightness at turn on - improved safety
Reduced maintenance costs
Reduced costs

Specifications

| | |
|------------------------|-----------------------|
| Colour Temperature | Cool White 5000K |
| Efficacy | >75lm/W |
| Colour Rendering Index | >75Ra |
| Voltage | 220-240Vac 50/60Hz |
| Markings | CE |
| LED | CREE array |
| LED life | >50000hrs L70 B10 |
| LED module voltage | 40V dc |
| LED T _j | <100° C (Device 135°) |
| Power factor | >0.9 |
| Driver | >85% efficiency |
| Housing | Black Polycarbonate |
| Dimensions | 250x300x205 |
| Weight | <5kg |
| Sealing | IP65 |
| Ambient temp. | -20°C to +35°C |

Options

| | |
|-----------|------------|
| Photocell | |
| Dimming | |
| Emergency | 400/1200lm |

Output

| | |
|------------------|--------------------|
| Power (W) | Output (Lm) |
| 30 | 2600 |

Ordering

WAR-XX-AA-BB

Where

XX = power 30

AA = Emergency Option E1 = 400lm E3 = 1200lm

BB = Sensor Options

S0 = Photocell S1 = daylight sensor with dimming

Example

WAR-30

30 Watt basic light

Please call our sales office to discuss your requirements

Applications

Car parks
Public area/amenities
Railway stations
Driveways
Access ramps

